


# ERGON<sup>®</sup> LIVING FOLDING

HARDWARE SYSTEM WITH ALUMINIUM FRAME FOR MOVABLE WALLS



### **SOFT OPENING**

**DAMPENING SYSTEM** 

The **Soft Opening** damper slows down leaf doors before they are fully open.

The **Soft Opening** system can be easily accessed and inspected.



# **PUSH&GO: DOORS OPEN WITH A CLICK**

MAGNETIC RELEASE SYSTEM FOR DOUBLE-LEAF DOORS




**Push & Go EVO** is the magnetic system that facilitates the release of the secondary leaf in double-leaf doors.

**Push & Go EVO** allows you to release the secondary leaf by simply pressing the button. The concealed magnetic system ensures that the door closes simply by accompanying the door leaf into position.



# FOLDING DETACHABLE HINGES

Special Folding hinges are available for connecting the door leaves.



# **MOVABLE WALL SYSTEM**

# WITH PERIMETER FRAME



**MINIMUM EFFORT** 

**WIDE OPENINGS** 

The door leaves move with minimum effort, opening and closing in seconds, ensuring unprecedented durability over time. The system can handle up to **5 door leaves + 1 single door leaf** with a width of up to 120 cm and a height of up to 300 cm for each individual door leaf.

SWING-AND-SLIDE OPENING

With ERGON® LIVING FOLDING, you can reorganise rooms, taking full advantage of the benefits of the swing-and-slide opening, also for very wide openings, with architectural widths of up to 6.5 metres. The special technique lets you partition spaces with a movement that is silent, stable and user-friendly.

ERGON® LIVING FOLDING, an innovative system from Celegon S.r.l, redefines the concept of living space.

The **special swing-and-slide hardware system** easily adapts to any door finish, offering a large number of options for application for those who need to design private and public interior spaces. It is ideal for closing niches, walk-in wardrobes or kitchen compartments, also for partitioning spacious rooms in private and public contexts.

THE FLOOR IS NEVER INVOLVED AS THERE ARE NO GUIDING OR SLIDING ELEMENTS.



**Durability and reliability** 



Made in Italy patent



Easy to inspect and install





# **AVAILABLE OPENING COMBINATIONS**

# **SINGLE OPENING**

**FOLDING DOORS** 



Set-up	No. doors	LFM min-max
A	2	1245 ÷ 2585
	3	1990 ÷ 3790
Н	4	2310 ÷ 4990
L	5	3195 ÷ 6195

# **DOUBLE OPENING**

SINGLE DOOR + FOLDING DOORS



В	1 + 2	1910 ÷ 3780
E	1+3	2530 ÷ 4980
I	1 + 4	2975 ÷ 6185
М	1 + 5	3660 ÷ 6550

# **DOUBLE OPENING**


**FOLDING DOORS** 



С	2 + 2	2300 ÷ 4980
F	2+3	2925 ÷ 6185
	3+3	3550 ÷ 6550

**N.B.** Other layouts are possible upon verification

# **SECTIONAL COMPONENTS**













### **MADE IN ITALY**

